

**KEMSURF SX85** 

Page: 1

Compilation date: 05/01/2016

**Revision date:** 08/02/2016

Revision No: 2

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: KEMSURF SX85

CAS number: 85117-50-6

EINECS number: 285-600-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SURFACTANT

### 1.3. Details of the supplier of the safety data sheet

Product code: LK-SX85

Company name: Lankem Ltd

Charles Street
Dukinfield
Cheshire
SK16 4SD
United Kingdom

**Tel:** 01613433355 **Fax:** 01613433366

Email: technical@lankem.co.uk

### 1.4. Emergency telephone number

Emergency tel: 07932007892

#### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315; Acute Tox. 4: H302

Most important adverse effects: Causes serious eye damage. Causes skin irritation. Harmful if swallowed.

### 2.2. Label elements

### Label elements:

Hazard statements: H318: Causes serious eye damage.

H315: Causes skin irritation. H302: Harmful if swallowed.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark





**KEMSURF SX85** 

Page: 2

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405: Store locked up.

P501: Dispose of contents/container to hazardous or special waste collection point.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

#### ALKYL BENZENESULPHONIC ACID, SODIUM SALT

EINECS	CAS	PBT / WEL	CLP Classification	Percent
285-600-2	85117-50-6	-	Eye Dam. 1: H318; Skin Irrit. 2: H315;	70-90%
			Acute Tox. 4: H302	

## Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

conscious, ensure the casualty sits or lies down. Move to fresh air in case of accidental

inhalation of vapours. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact. Irritation or pain may occur at

the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

**KEMSURF SX85** 

Page: 3

**Ingestion:** There may be bleeding from the mouth or nose. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Dry chemical powder.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion

emits toxic fumes of sulphur oxides.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large

amounts of water.

# 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

## Section 7: Handling and storage

# 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

**KEMSURF SX85** 

Page: 4

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Avoid contact with

water or humidity.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Surfactant

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC Values** 

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Powder

Colour: Off-white

Odour: Barely perceptible odour

**Evaporation rate:** Not applicable.

Oxidising: No data available.

Solubility in water: Soluble

Viscosity: Not applicable.

Boiling point/range°C: No data available. Melting point/range°C: >350

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: >100 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: >400 Vapour pressure: No data available.

Relative density: 0.4g/cm3 at 20°C pH: 9-11

VOC g/l: No data available.

### 9.2. Other information

Other information: No data available.

**KEMSURF SX85** 

Page: 5

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Acids. Bases.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion

emits toxic fumes of sulphur oxides.

#### **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

### **Toxicity values:**

Route	Species	Test	Value	Units
ORAL	RAT	Reproductive toxicit	350 (NOAEL)	mg/kg
DERMAL	RAT	OECD 453	Negative	-
Germ cell mutagenici	In Vivo	OECD 474	Negative	-
Germ cell mutagenici	In Vitro	OECD 476	Negative	-
DERMAL	GUINEA PIG	OECD 406	Not sensitising	-
DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	1080	mg/kg

#### Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

**KEMSURF SX85** 

Page: 6

#### **Excluded hazards for substance:**

Hazard	Route	Basis	
Acute toxicity (ac. tox. 3)	-	No hazard: calculated	
Acute toxicity (ac. tox. 2)	-	No hazard: calculated	
Acute toxicity (ac. tox. 1)	-	No hazard: calculated	
Respiratory/skin sensitisation	-	No hazard: calculated	
Germ cell mutagenicity	-	No hazard: calculated	
Carcinogenicity	-	No hazard: calculated	
Reproductive toxicity	-	No hazard: calculated	
STOT-single exposure	-	No hazard: calculated	
STOT-repeated exposure	-	No hazard: calculated	
Aspiration hazard	-	No hazard: calculated	

## Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. Irritation or pain may occur at

the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely.

**Ingestion:** There may be bleeding from the mouth or nose. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

### **Section 12: Ecological information**

### 12.1. Toxicity

### **Ecotoxicity values:**

Species	Test	Value	Units
DAPHNIA	48H EC50	2.9	mg/l
ALGAE	96H EC50	29	mg/l
BACTERIA	3H EC50	550	mg/l
FISH	96H EC50	1.67	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: Readily biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: Low potential

### 12.4. Mobility in soil

Mobility: No data available.

**KEMSURF SX85** 

Page: 7

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: No data available.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

#### **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.